

technical data sheet

BOSTIK INSTANT-PRO™ SYNTHETIC TURF ADHESIVE

DESCRIPTION

Bostik Instant-Pro™ Synthetic Turf Adhesive is a solvent based synthetic grass and external sports surface glue.

RECOMMENDED USES

Bostik Instant-Pro™ Synthetic Turf Adhesive is specifically formulated to bond hessian or open weave polypropylene backed synthetic grass to concrete, exterior grade timber and paved surfaces for interior and exterior conditions. Ideal for use around swimming pools, balconies and other out-door recreational areas.

LIMITATIONS

NOT recommended for constantly wet or submerged surfaces. Because of the wide range of synthetic sports surfaces, a small test area should be carried out to determine the suitability of Bostik Instant-Pro™ Synthetic Turf Adhesive.

FEATURES & BENEFITS

- Excellent water resistance
- High early bond strength with aggressive tack to aid in installation
- Easy spreading, fast drying
- Early bond strength prevents edge curling

TYPICAL PROPERTIES

Base	Synthetic Rubber
Colour	Green
Consistency	Fluid Paste
Coverage	Approx 2 m ² per litre (3mm notched trowel)
Working Time	Approx. 10 mins.
Trafficable	Light; 24 hours, Heavy; 4-7 Days
Cure Time	Full Cure after 7 days

PACKAGING

Available in 4L and 10L pails

APPLICATION INSTRUCTIONS

Preparation

Ensure surfaces are dry, sound and free from dirt, dust, grease, oil, wax, paint and any loose or flaking materials. If applying over concrete, ensure concrete is fully cured and free from moisture and surface salts. A very porous surface should be primed first with Bostik Instant Pro™ Primer.

Application

1. Apply glue evenly to the prepared surface (not synthetic grass/turf) using a 3mm U notched trowel. Although a 3mm trowel is usually sufficient in most applications, it may be necessary to use a larger trowel for uneven or rough surfaces.
2. Do not spread more glue than can be laid before glue skins (usually 5 mins depending on temperature).
3. Allow the glue to tack up (10-15 mins.) before laying in the synthetic surface. This can be determined by placing a small piece of the synthetic surface into the glue and removing, observing for signs of stringiness and grab.
4. The glue must be allowed to develop some grab before laying. Lay the synthetic surface into the wet glue to ensure good transfer and roll to remove any air entrapment.

Remove excess glue immediately with a cloth moistened with Mineral Turps. Do not allow heavy traffic for 24 hours.

HEALTH AND SAFETY

Avoid contact with eyes and skin, wear solvent resistant gloves, and safety glasses with slide shields. Avoid breathing vapours, use in well ventilated areas. Wear an organic vapour respirator where ventilation is poor or inadequate. Refer to the Material Safety Data Sheet for more detailed information.

SHELF LIFE

Minimum of 12 months in original unopened containers if stored at temperatures between 10°C and 30°C

STORAGE

Bostik Instant Pro™ Synthetic Turf Adhesive should be stored away from flames and possible ignition sources. Store in a cool, well-ventilated area, out of direct sunlight.

CLEAN UP

Clean up tools and excess glue with mineral turps, whilst glue is still wet.

Item No	Barcode	Size	Carton Qty
293946	9310492442693	4 L	4
293954	9310492442709	10 L	1

The representations and recommendations regarding the products are based on tests which we believe to be reliable. However, no guarantee of their accuracy can be made because of the great range of field conditions and variations encountered in raw materials, manufacturing equipment and methods. Thus, the products are sold with a limited warranty only, and on the condition that purchasers will make their own tests to determine the suitability of the product for their particular purposes. Under no circumstances will Bostik Findley Australia Pty Ltd be liable to anyone except for replacement of the products or refund of the purchase price.

ALL SALES ARE EXPRESSLY LIMITED TO THE TERMS AND CONDITIONS OF SALE OF BOSTIK FINDLEY AUSTRALIA PTY LTD

FOR FURTHER INFORMATION



BOSTIK FINDLEY
AUSTRALIA PTY LTD
Phone: +61-3-9279 9333
Fax: +61-3-9279 9240

BOSTIK FINDLEY
NZ LIMITED
Phone: +64-4-567 5119
Fax: +64-4-567-5412

BOSTIK FINDLEY
SINGAPORE PTE LTD
Phone: +65-6863 4088
Fax: +65-6863 4077

BOSTIK FINDLEY
(MALAYSIA) SDN BHD
Phone: +606 764 3246
Fax: +606 764 3248

SYDNEY
Phone: 02 8825 3488
Fax: 02 8825 3411

ADELAIDE
Phone: 08 8244 0511
Fax: 08 8244 0522

PERTH
Phone: 08 9331 7666
Fax: 08 9331 7677

BRISBANE
Phone: 07 3265 2377
Fax: 07 3265 5421

(ABN 79 003 893 838)

Product:	Bostik Instant PRO
Issue Date:	Synthetic Grass Adhesive June 2003
Issue No:	1
Division:	Hardware