

Material Safety Data Sheet

Page 1 of 3

Infosafe No. 2BKL5 Issue Date: July 2003 ISSUED by BOSTIK

Product Name: **INSTANT PRO CARPET & CORK ADHESIVE**

Not classified as hazardous according to criteria of NOHSC

COMPANY DETAILS

Company Name BOSTIK FINDLEY AUSTRALIA PTY LTD (ABN 003 893 838)
Address 51 - 71 High Street Thomastown
VIC 3074
Tel/Fax Tel: 03 9279 9333 Fax: 03 9279 9270

IDENTIFICATION

Product Name INSTANT PRO CARPET & CORK ADHESIVE
Proper Shipping Name None Allocated
Other Names

<u>Name</u>	<u>Mancode</u>
Instant Pro Carpet & Cork Adh., 1lt	293903
Instant Pro Carpet & Cork Adh., 4lt	293911
Instant Pro Carpet & Cork Adh., 10lt	293938

UN Number None Allocated
DG Class None Allocated
Packing Group None Allocated
Hazchem Code None Allocated
Poisons Schedule Not Scheduled
Product Use A water based trowellable adhesive designed for bonding most soft floor coverings.

Physical Data

Appearance Thick, off-white/cream colored paste with slightly sweet odour.
Melting Point 0°C (water)
Boiling Point 100°C (water)
Vapour Pressure Not available
Specific Gravity approx. 1.3
Flash Point Non applicable
Flamm. Limit LEL Not applicable
Solubility in Water Soluble

Other Properties

Volatile Component approx. 30%

Ingredients

<u>Ingredients</u>	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
	Mineral Filler		30-60 %
	Synthetic polymers		10-30 %
	Rosin esters		10-30 %
	Additives		1-10 %
	Water		TO 100%

HEALTH HAZARD INFORMATION

Health Effects

Acute - Swallowed May cause irritation to the gastrointestinal tract.
Acute - Eye May be an eye irritant.
Acute - Skin May cause irritation.

Continued on next page

Material Safety Data Sheet

Page 2 of 3

Infosafe No. 2BKL5 Issue Date: July 2003

ISSUED by BOSTIK

Product Name: **INSTANT PRO CARPET & CORK ADHESIVE**

Not classified as hazardous according to criteria of NOHSC

Acute - Inhaled Inhalation of high concentrations of vapours may cause headache, nausea, intoxication and difficulty in breathing and irritation of the respiratory tract.

Chronic Repeated or prolonged skin contact may cause irritation and defatting.

First Aid

Swallowed If swallowed, give patient water to drink and seek medical advice.

Eye Flush with large amounts of water for at least 15 minutes. Seek medical attention.

Skin Remove contaminated clothing and footwear. Wash affected area with plenty of soap and water. If irritation occurs seek medical attention. Launder clothing before re-use.

Inhaled Should inhalation occur remove patient to fresh air and seek medical advice.

First Aid Facilities Eye wash, safety shower.

Advice to Doctor

Advice to Doctor Treat symptomatically.

Other Health Hazard Information

PRECAUTIONS FOR USE

Exposure Limits No exposure standard is available for the material as such.

Eng. Controls Use in a well ventilated area.

Personal Protection

Protective Equip. The following personal protective equipment is recommended:
Impervious gloves.
Safety glasses.

Flammability

Fire Hazards Dried material is combustible.

SAFE HANDLING INFORMATION

Storage and Transport

Storage and Transport Store in a cool, dry place away from direct sunlight and frost. Avoid extremes of temperature. Protect from freezing. Keep containers sealed when not in use. Keep away from strong acids and oxidising agents.

Proper Shipping Name None Allocated

Spills and Disposal

Spills & Disposal Clean-up personnel to wear personal protection. Contain spill with absorbent such as sand, earth, vermiculite or sawdust. Prevent run-off into drains and water-ways. Pump spillage into empty drums then absorb remainder. Collect impregnated absorbent into clearly labelled containers for disposal as per statutory regulations. Flush area with water.

Fire/Explosion Hazard

Fire/Explos. Hazard If dried material burns, fire-fighting personnel to wear self-contained breathing apparatus and protective clothing.
Hazardous decomposition products on burning: oxides of carbon, oxides of nitrogen, smoke and other toxic fumes.
Extinguishing media: water for dried polymer film.

Hazardous Reaction Incompatible with strong acids and oxidising agents.

Continued on next page

Material Safety Data Sheet

Page 3 of 3

Infosafe No. 2BKL5 Issue Date: July 2003

ISSUED by BOSTIK

Product Name: **INSTANT PRO CARPET & CORK ADHESIVE**

Not classified as hazardous according to criteria of NOHSC

Hazchem Code None Allocated

OTHER INFORMATION

Toxicology No toxicity data is available for this material as such.

Environ. Protection This material may be hazardous to the environment, do not discharge to drains or water-ways.

Technical Data Refer Product Information Bulletin

Other Information N/A - None Assigned
NOHSC - National Occupational Health & Safety Commission (Worksafe Aust.)

CONTACT POINT

Contact & 24 hour Emergency Telephone
Regulatory Affairs Officer
ph (03) 9279 9320 or
mobile 0419 335 187
...End Of MSDS...