

Material Safety Data Sheet

Page 1 of 3

Infosafe No. 2BKQC Issue Date: January 2004 ISSUED by BOSTIK

Product Name: **INSTANT PRO INTERIOR FLOOR TILE ADHESIVE**

Not classified as hazardous according to criteria of NOHSC

COMPANY DETAILS

Company Name BOSTIK FINDLEY AUSTRALIA PTY LTD (ABN 003 893 838)
Address 51 - 71 High Street Thomastown
VIC 3074
Tel/Fax Tel: 03 9279 9333 Fax: 03 9279 9270

IDENTIFICATION

Product Name INSTANT PRO INTERIOR FLOOR TILE ADHESIVE
Proper Shipping Name None Allocated
Other Names

<u>Name</u>	<u>Mancode</u>
Instant Pro Interior Floor Tile Adh., 1kg	293679
Instant Pro Interior Floor Tile Adh., 4kg	293687
Instant Pro Interior Floor Tile Adh., 10kg	293652

UN Number None Allocated
DG Class None Allocated
Packing Group None Allocated
Hazchem Code None Allocated
Poisons Schedule Not Scheduled
Product Use A premixed ceramic tile glue designed for fixing ceramic tiles onto building boards, concrete and cement render in interior applications.

Physical Data

Appearance Thick white paste with negligible odour.
Boiling Point 100°C (water)
Vapour Pressure Not Available
Specific Gravity approx 1.7
Flash Point Non flammable
Flamm. Limit LEL Not applicable
Solubility in Water Soluble

Other Properties

Volatile Component approx. 28%
pH Value approx 8.5

Ingredients

<u>Ingredients</u>	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
	Aldehyde/thiozoline biocide		0.1-1 %
	Ammonia		0-0.1 %
	Ingredients determined not to be hazardous		to 100%

HEALTH HAZARD INFORMATION

Health Effects

Acute - Swallowed Ingestion of large amounts may cause nausea and vomiting.
Acute - Eye May be an eye irritant.
Acute - Skin Contact with skin may result in irritation.
Acute - Inhaled Prolonged or repeated inhalation of spray mists in confined area may cause irritation of the respiratory tract.
Chronic Repeated or prolonged skin contact may lead to irritation.

Continued on next page

Material Safety Data Sheet

Page 2 of 3

Infosafe No. 2BKQC Issue Date: January 2004 ISSUED by BOSTIK

Product Name: **INSTANT PRO INTERIOR FLOOR TILE ADHESIVE**

Not classified as hazardous according to criteria of NOHSC

First Aid

Swallowed Do not induce vomiting, if swallowed, give patient a glass of water to drink and seek medical advice.

Eye Flush eyes with plenty of water for 15 minutes. Seek medical attention.

Skin Remove contaminated clothing and footwear. Wash affected area with soap and water. If irritation persists, seek medical attention.

Inhaled Remove patient to fresh air. Seek medical advice.

First Aid Facilities Eye wash

Advice to Doctor

Advice to Doctor Treat symptomatically.

Other Health Hazard Information

PRECAUTIONS FOR USE

Exposure Limits No exposure standard is available for the material as such.

Eng. Controls Ensure exposure is kept as low as practicable.

Personal Protection

Protective Equip. Avoid contact with skin and eyes and avoid breathing vapours. The following personal protective equipment is recommended:
Respiratory protection if ventilation inadequate.
Protective rubber gloves.
Safety glasses.

Flammability

Fire Hazards Non flammable.

SAFE HANDLING INFORMATION

Storage and Transport

Storage and Transport Store under cool, dry conditions (4°C - 40°C) away from acids, strong oxidising agents and sources of heat.

Proper Shipping Name None Allocated

Spills and Disposal

Spills & Disposal Contain spill with absorbent. Prevent run-off into drains and water-ways. Collect impregnated absorbent into clearly labelled containers for disposal as per statutory regulations.

Fire/Explosion Hazard

Fire/Explos. Hazard Dry material will burn.
Hazardous decomposition products on burning: oxides of carbon, smoke and fumes.
Fire-fighting personnel to wear self-contained breathing apparatus and protective clothing.
Extinguishing media: dry chemical, carbon dioxide, foam.

Hazardous Reaction Incompatible with acids, divalent metal ions and strong oxidising agents.

Hazchem Code None Allocated

OTHER INFORMATION

Toxicology No toxicity data is available for the material as such.

Continued on next page

Material Safety Data Sheet

Page 3 of 3

Infosafe No. 2BKQC Issue Date: January 2004 ISSUED by BOSTIK

Product Name: **INSTANT PRO INTERIOR FLOOR TILE ADHESIVE**

Not classified as hazardous according to criteria of NOHSC

Environ. Protection This substance may be hazardous to the environment, avoid contaminating drains and water-ways.

Technical Data Refer Product Information Bulletin

Other Information N/A - None Assigned

CONTACT POINT

Contact & 24 hour Emergency Telephone
Regulatory Affairs Officer
ph (03) 9279 9320 or
mobile 0419 335 187
...End Of MSDS...